		LAST Search		1		
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	58	(Toshihiko near2 Fukuoka).inv.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L2	10	(Taemi near2 Wada).inv.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L3	5	(1 2) and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:18
L4	906499	matsushita.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L5	939	4 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L6	95	5 and des and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:21
L7	8	6 and selector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:22

L8	11	(cipher adj block adj chaining).clm. and (cipher adj feedback adj mode).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:25
L9	11	selector.clm. and (bit adj mask).clm. and (switch).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:26

10/8/2008 7:29:11 AM Page 2

	EAST Search History							
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp		
L1	2451	713/160,162.cds. 380/28.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L2	80	des same cbc same ecb same cfb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L3	10	embed\$4 with identifier with (algorithm mode) with (encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L4	102	embed\$4 same identifier same (algorithm mode scheme) same (encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L5	92	L4 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L6	37	((choos\$3 select\$3) with mode) and (ecb and cbc and ofb and cfb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L12	2841	(choos\$3 select\$3 indicat\$3) with (type mode option) with (encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		

	EAST Search History							
L13	28	((choos\$3 select\$3 indicat\$3) with (type mode option) with (encrypt\$3)) and cbc and cfb and ofb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L16	157	multiple with encrypt\$3 with mode	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33		
L19	99	cipher\$3 with (block and chan\$3 and feedback)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33		
L20	276	cipher\$3 with (block and chain\$3 and feedback)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33		
L21	211	(cipher\$3 with (block and chain\$3 and feedback)) same (mode)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 07:33		
L22	837	713/150.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L23	1264	((embed\$4 insert\$3 indicat\$3) with (flag mark)) and ((encrypt\$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L24	18	L22 and L23	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L25	162	((embed\$4 insert\$3 indicat\$3) with (flag mark) with (head\$3)) and ((encrypt\$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		

EAST Search History							
L26	80	((embed\$4 insert\$3 indicat\$3) with (flag mark indicator) with (head\$3) with (type mode)) and ((encrypt\$3 cipher) with (mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L27	635	packet with (indicat\$3 flag mark\$3) with (type mode) with (encipher\$3 encrypt\$3 encod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L28	9	L22 and L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L31	153	((embed\$4 insert\$3 indicat\$3) with (flag mark) with (header)) and ((encrypt\$3 cipher) with (mode))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L32	197	(embed\$4 insert\$3 indicat\$3) with (flag mark) with (encrypt\$3 cipher) with (mode type algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L33	27	(embed\$4 insert\$3 indicat\$3) with (flag mark) with (encrypt\$3 cipher) with (mode type algorithm) with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L34	134	*DES* and CBC and CFB and ECB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	

	LACT CONTINUES							
L35	6	L33 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L36	6	(L31 or L32 or L33) and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L37	19	L23 and L34	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L41	100	(embed\$4 insert\$3 indicat\$3) with (algorithm cipher) with (encrypt\$3 encipher\$3) with packet	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L43	185	packet with (indicat\$3 flag mark\$3) with (type mode) with (encipher\$3 encrypt\$3 encod\$3) with header	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L44	231	packet with (indicat\$3 flag mark\$3 embed\$4 insent\$3) with (type mode algorithm cipher) with (encipher\$3 encrypt\$3 encod\$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L45	985	packet with (type mode algorithm cipher) with (encipher\$3 encrypt\$3 encod\$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		

	EAST SEARCH HISTORY							
L46	220	packet with (algorithm cipher) with (encipher\$3 encrypt\$3 encod\$3) with header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L47	6	L22 and L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L50	33	packet with (indicat\$3) with (algorithm cipher) with (encrypt\$3 encipher\$3 encod\$3) with (data content obdy)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L57	10178	(cipher\$3 encod\$3 encipher\$3 encrypt\$3) with (mode algorithm) with (choos\$3 select\$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L58	1444	((transmit\$4 send\$3 embed\$4) with (packet)) and L57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L59	181	((transmit\$4 send\$3 embed\$4) with (packet)) same L57	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L60	192	des and cbc and cfb	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		

		LAGI Ocaicii				
L61	8	L58 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L62	837	713/150.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L63	19	L58 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L64	38	L57 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L67	13546	(cipher\$3 encod\$3 encipher\$3 encrypt\$3) with (mode algorithm) with (choos\$3 select\$3 indicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L68	24553	(embed\$4 insert\$3) with (packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33
L69	68657	(select\$3 choos\$3) with (algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33

	EAST Scarch History							
L70	251	L67 and L68 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L72	115	L70 and @ad<"20030808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L81	150593	select\$3 with (synchroniz\$5 delay\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 07:33		
L82	44216	select\$3 with process\$3 with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L83	169535	(delay\$3 with process\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L84	50001	(initial near2 (data vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		
L85	622	select\$3 with (synchroniz\$5 delay\$3) with ("XOR" or "EXOR" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33		

LACT ocaron riistory							
L86	1	L81 L82 L83 L84 L85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/08 07:33	
L87	14851	select\$3 and (synchroniz\$5 delay\$3) and (proces\$\$3) and (initial) and (data vector) and ("XOR" or "EXOR" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L88	315	select\$3 and (synchroniz\$5 delay\$3) and (proces\$\$1) and (finitial) near2 (data vector)) and ("XOF" or "EXOF" or "exclusive-or" or "x-or" or "ex-or" or "exclusive or") and (bit near mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L89	20057	*380*.das.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	
L90	5	L88 and L89	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:33	

	LAST Search History							
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp		
L3	68	(des with mode) and "cbc" and "cfb" and "ecb"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L4	1935	bitwise near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L5	0	mask\$3 and L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L6	2	bitwise and mask\$3 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L7	20076	des with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L8	20076	"des" with mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		
L9	155	"cbc" and "cfb" and "ecb"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 07:31		

			•			
L10	68	L8 and L9	US-PGPUB; USPAT; USOCR; FFPS; EPC; JPO; DEFWENT; IBM_TDB	OR	ON	2008/10/08 07:31
L11	0	L10 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DEHWENT; IBM_TDB	OR	ON	2008/10/08 07:31